Characteristics of the Study Population (N=528)

Characteristic

	N (Percent)		
Ethnicity			
American/Alaskan Native	2 (0.4%)		
Asian	167 (31.6%)		
Black/African American	75 (14.2%)		
Hispanic/Latino	77 (14.6%)		
White	204 (38.6%)		
Unreported	3 (0.6%)		
	Mean (SD)		
Age (n = 526)*	20.15 <u>+</u> 1.3		
Body Mass Index (n = 528)	23.51 <u>+</u> 4.4		
	N (Percent)		
Underweight (BMI < 18.5)	40 (7.6%)		
Normal Weight (BMI 18.5-24.9)	335 (63.4%)		
Overweight (BMI 25-30)	110 (20.8%)		
Obese (BMI ≥ 30)	43 (8.1%)		

^{*}Two participants did not self-report their age.

Multiple Linear Regression Examining Predictors of Disordered Eating Behavior (N = 528)

Independent Variables	$\mathbf{B}^{\mathbf{a}}$	$\mathfrak{b}_{\mathrm{p}}$	SE	95% CI	p-value	
Mother Regard	0.03	0.04	0.03	(-0.03, 0.08)	0.316	_
Mother Responsibility	0.05	0.07	0.03	(-0.00, 0.11)	0.059	
Appearance Weight Control	0.25	0.38	0.03	(0.18, 0.31)	<0.001	
Parent Weight Talk	0.11	0.16	0.04	(0.04, 0.18)	0.002	
Emphasis on Maternal Weight	0.08	0.12	0.03	(0.02, 0.14)	0.009	
Body Mass Index	0.00	-0.03	0.01	(-0.02, 0.01)	0.447	

Note: SE = Standard Error, CI = Confidence Interval; Adjusted for body mass index

Adjusted $R^2 = 0.325$

a Unstandardized Coefficients

b Standardized Coefficients

